



Obesity News
4th February 2010

[Morbidly obese 'may have missing genes'](#)

[Doctors miss major cause of infertility and obesity](#)

[Childhood obesity may contribute to later onset of puberty for boys](#)

[The effectiveness of MEND program in prevention and treatment of paediatric obesity](#)

[Appetite suppressed by 'starving' fat](#)

[Overweight in 20s could lead to serious problems in 40s](#)

[Revise BMI for seniors says researcher in Australian study](#)

[Mexico tackles record child obesity](#)

[Inflammation marker related to obesity is elevated in patients with pancreatic cancer](#)

[Some morbidly obese people are missing genes, shows new research](#)

[Diabetes medication may help decrease BMI in obese adolescents](#)

[New discovery may help reduce obesity complications](#)

[Gladstone scientists identify target that may reduce complications of obesity](#)

OTHER

[It matters what you eat after exercise](#)

[Fat behaves differently in patients with polycystic ovary syndrome](#)

[Drinking tea may trim men's waistline](#)

[Discounts may fuel the purchase of healthier foods](#)

Archive news is available on
<http://www.iaso.org/HOPEObesityintheNewsArchive.htm>

The press links are provided for information only, their inclusion is not indicative of IASO/HOPE endorsement.

If you have any comments or articles for inclusion please email:
HOPEnet@iaso.org

